

***TM - BADLANDER*™**

OPERATIONAL INSTRUCTIONS FOR
SOUND SUPPRESSOR MODEL

BADLANDER™



MANUFACTURED BY

AWC SYSTEMS TECHNOLOGY

MAILING: P.O. BOX 41938
PHOENIX, AZ 85080-1938

SHIPPING: 1515 W. DEER VALLEY RD
SUITE A-105
PHOENIX, AZ 85027

TELEPHONE 623 780 1050 FACSIMILE 623 780 2967

WWW.AWCSTECH.COM

Badlander Rev. 11/2009

GENERAL DESCRIPTION

AWC has produced thousands of suppressed Ruger .22 pistols since 1983. There have been 13 primary variations. Each new variation achieved specific performance goals. The BADLANDER is simply the Amphibian S interfaced with the Ruger MK512 Target Pistol. Upon completion the entire weapon is treated with a special charcoal black finish to give the Badlander a Parkerized look with added all weather protection. The result is the most technically advanced pistol with the look of the WWII or Vietnam Era weapons.

Like the Amphibian S, the 2009 Badlander is shorter and features a significant weight reduction through a new baffle design that utilizes a 303 stainless steel primary baffle and 6061T6 secondary chambers.

Improved accuracy is primarily achieved with the new baffle design. The new baffle is also more responsive to simple maintenance. Service Life is significantly increased through a change in assembly methods. Routine maintenance can be performed by the user. If the weapon sees heavy use, and the user perceives the need, AWC can fully restore the suppressor quickly and economically.

Additionally, with our never ending program of R&D, future improvements in baffle design are imminent. The design and construction of the BADLANDER and AMPHIBIAN S will allow users to upgrade their weapons quickly and economically. Also, any component part of the suppressor can be changed at a later date to meet special "wants" or needs. The user will never need to dispose of the "old weapon" to enjoy the latest innovations.

AMMUNITION

Although you may use any standard or high velocity cartridge we recommend for the best sound reduction, power and proper function the use of Remington or CCI high velocity 40gr or 36gr hollow point (preferably coated for increased service life).

*******DO NOT USE SUB-SONIC AMMUNITION*******

Your pistol was function tested for accuracy and reliability with 40gr Remington High Velocity ammunition.

MAINTENANCE

After each firing session remove the magazine, clear the chamber, insure the weapon is unload with safety engaged and service the Badlander by introducing bore foam from the chamber end of the barrel until foam starts to exit the muzzle of the suppressor. Allow the foam solvent to soak for 30 minutes followed by a rinse to remove any sticky residue left behind by the solvent/ foam. This is accomplished by plugging the chamber and pouring denatured alcohol or hot tap water into the front of the suppressor tube. It may take a few pours to fill the chambers. We have enclosed a few chamber plugs for your convenience. Use a chamber plug to plug the front of the suppressor and shake barreled upper for about 60 seconds, remove the chamber plugs and allow to drain. It may be advisable to perform another fast rinse. Allow the suppressor to drain from both ends. It is also advisable, but not mandatory, to blow compressed air into both ends of the suppressor after cleaning. Complete disassembly is not required.

After cleaning a quick spray of Rem-Oil in the suppressor and action is recommended. Use cotton swabs (Q-Tips) to dry the chamber of the barrel and action prior to firing. Some smoking may occur on the first magazine until the excess oils are burned off and expelled from the suppressor.

Although it is not necessary, if the user insists on cleaning the barrel with a bore brush it is accomplished by using the proper .22 rimfire bore brush only. A bronze brush works best and Shooters Choice is our favorite bore solvent. Always insert the bore brush through the chamber end. This eliminates the possibility of crown damage. After cleaning with bore brush follow the flushing/rinsing procedures described above to remove any sticky residue left behind by the solvent. DO NOT attempt to use a patch, EVER!

AWC offers a suppressor water jet cleaning tool to assist in the cleaning process which attaches directly to standard water hose spec threads. The tool is not a regulated item and can be purchased and shipped directly to a user at any address.

Customers may ship the weapon to our plant for a complete detailed cleaning if the need ever arises.

OPTIONAL ACCESSORIES

Night Sights "Tritium Bar Dot-System"